

Functional Fitness Flooring.



 **Aslon**
RUBBER

Fitness flooring made of **recycled** **material.**

We as Aslon Rubber are an innovative company specialized in the development, production, and distribution of high-quality (rubber) products, among others for the fitness industry. With a passion for recycled materials, we strive to deliver the most sustainable solutions to our customers. Due to this we have become a strong international partner for recycled (rubber) products in various markets.



Index

- 01.** IndoorFIT & OutdoorFIT tiles
- 02.** AcousticFIT tiles
- 03.** Multiplay tiles
- 04.** CleanFIT tiles
- 05.** FireFIT tiles
- 06.** EPDM tiles
- 07.** Puzzle mats
- 08.** Rubber on roll

IndoorFIT & OutdoorFIT tiles

RUBBER TILES MADE OF FINE AND STANDARD GRANULATE

Aslon® IndoorFIT and OutdoorFIT tiles have shock-absorbing and cushioning features, enabling them to withstand intense training sessions, heavy weights and daily use. They provide protection for the athlete as well as the sports equipment and fitness floor.

The rubber fitness tiles are slip-resistant, shock-absorbent and provide excellent cushioning to prevent injuries. They are also used as sound-absorbing flooring, ensuring a quiet and pleasant training environment.

In addition, rubber tiles are produced from recycled rubber granulate. This makes the rubber tiles 100% recyclable again after use.

The main difference between indoor- and outdoor tiles is the size of the granulate. Thanks to the standard granulate, water can easily drain away, making this tile ideal for outdoor use.



INDOORFIT TILES

Fine granulate (0,7 - 1 mm)

- Easy to clean
- With flat- or studded structure underside
- Sleek appearance

Specifications

Colours: black
Sizes: 500 x 500 mm | 1.000 x 1.000 mm
Thickness: 15 mm | 20 mm | 30 mm | 40 mm | 45 mm
Density: 800 kg/m³ | 900 kg/m³ | 1.000 kg/m³



OUTDOORFIT TILES

Standard granulate (1 - 3 mm)

- Water-permeable
- With studded structure underside
- Non slip

Specifications


Colours: black, red, green and grey
Sizes: 500 x 500 mm | 1.000 x 1.000 mm
Thickness: 30 mm | 40 mm | 45 mm
Density: 800 kg/m³ | 900 kg/m³ | 1.000 kg/m³



SHOCK
ABSORBING



NOISE
DAMPING



WATER
PERMEABLE

AcousticFIT tiles



RUBBER TILES WITH A FOAM BOTTOM LAYER

Aslon® AcousticFIT tiles have a shock-absorbing and sound-damping layer on the bottom. Made of recycled material.

Our AcousticFIT tiles are designed to effectively reduce noise, such as from falling weights. The integrated foam underlayer improves acoustics in sports facilities, resulting in significantly less noise disturbance for adjacent rooms and buildings. Additionally, it creates a more comfortable training environment for athletes. With a thickness of 20 mm, these tiles are ideal to combine with other standard fitness tiles, creating a seamless and cohesive look.

We are dedicated to a sustainable future. The foam underlayer is crafted from old mattresses, while the rubber top layer is derived from car tires. We take pride in utilizing recycled materials as the foundational material for a range of versatile products.


AcousticFIT tiles have been tested for sound absorption according to ISO 10140-1. These tiles dampen sound more than 85% better than standard fitness tiles.



SHOCK
ABSORBING



NOISE
DAMPING



SPECIFICATIONS

Colours:	black
Sizes:	1.000 x 1.000 mm
Thickness:	20 mm 40 mm
Density toplayer:	1.000 kg/m ³
Density foam:	200 kg/m ³

Multiplay tiles

RUBBER TILES WITH A GRASS TOPLAYER

Aslon® Multiplay grass tiles are applicable as sports flooring. Multiplay tiles are rubber tiles with a top layer of Multiplay artificial grass. The artificial grass is pressed onto the rubber tiles, combining the advantages of rubber fitness tiles with those of artificial grass.

The underlay of rubber provides a comfortable fitness floor and the top layer of artificial grass is softer compared to a standard rubber tile and gives a more luxurious look.

The gym tiles provide cushioning and protection for both the athlete, sports equipment and for the gym floor. The sound-absorbing floor creates a quiet and pleasant training environment.

To give a gym its own look, the Multiplay tiles are available in different colours.



MULTIPLAY TILES

Multiplay grass toplayer

- Water-permeable
- Studded structure on the underside
- Non slip



Specifications


Colours: green, red, yellow, white, blue and black

Sizes: 500 x 500 mm | 1.000 x 1.000 mm

Thickness: flat > 15 mm | 20 mm
with studded structure > 30 mm | 40 mm | 45 mm

COLOURS

Ask us about all our options.



Black

Green

Blue

Red



SHOCK
ABSORBING



NOISE
DAMPING




VERY
DURABLE

CleanFIT tiles

RUBBER TILES WITH A HIGH DENSITY TOPLAYER

Aslon® CleanFIT tiles are designed to meet the rigorous demands of any gym. These fitness tiles with extra fine granules not only offer a sleek appearance, but also are extremely easy to clean due to their closed top layer. With a simple mop, magnesium or other small materials can effortlessly be removed from the rubber floor.

The installation of these tiles is also very straightforward, thanks to the connectors that can be supplied with these tiles. Underneath each rubber tile are grooves for these connectors, allowing the tiles to be seamlessly connected to each other. This results in a smooth and stable floor, perfectly suited for intensive sports activities.



CLEANFIT TILES

High density toplayer

These tiles are also available as edge and corner mats.




Specifications

Colours: black, black with 15% EPDM and various other colours and blends
Sizes: 1.000 x 1.000 mm
Thickness: 20 mm
Density: 1.200 kg/m³
toplayer

CONNECTOR SYSTEM

The CleanFIT tiles have a connector system so you can easily connect all the fitness tiles.




FireFIT tiles

RUBBER TILES THAT SLOW DOWN THE SPREAD OF FIRE

Aslon® FireFIT rubber tiles are specially designed for a safe environment in gyms and fitness areas. In the event of a fire, these rubber tiles slow down the spread of fire.

The gym rubber tiles have the required properties and comply with standard EN 13501-1 with a fire class CFL and smoke class S1.

In addition, these gym tiles provide cushioning and protection for both athletes and sports equipment. This sound-absorbing floor ensures a quiet and pleasant training environment.




FIREFIT TILES

Standard granulate (1 - 3 mm)
& fine granulate (0,7 - 1 mm)


- Fire retardant
- Sleek appearance
- Shock absorbing

Specifications

Colours: black, black with 10% EPDM and various other colours and blends
Sizes: 500 x 500 mm | 1.000 x 1.000 mm
Thickness: 15 mm | 20 mm | 30 mm | 40 mm | 45 mm
Density: 1.000 kg/m³



SHOCK
ABSORBING



NOISE
DAMPING



VERY
DURABLE



FIRE
RETARDANT



EPDM tiles

RUBBER TILES WITH A TOPLAYER OF EPDM

Aslon® EPDM (Ethylene Propylene Diene Monomer) tiles are rubber tiles with a 5 to 8 mm EPDM rubber toplayer. EPDM rubber is a new, colourfast synthetic rubber. EPDM tiles are sound-absorbing and ideal for use in health clubs and gyms.


Our EPDM tiles are available in various RAL colours and blends. The different tile colours can be combined to create a colourful floor that matches the look and feel of the gym.



EPDM TILES

Standard granulate (1 - 3 mm)
& fine granulate (0,7 - 1 mm)

These tiles are also available as edge and corner mats.



Specifications


Colours: black | black with 10% EPDM | 20% EPDM | 100% EPDM

Sizes: 500 x 500 mm | 1.000 x 1.000 mm

Thickness: flat > 15 mm | 20 mm
with studded structure > 30 mm | 40 mm | 45 mm

EPDM COLOURS AND BLENDS

Ask us about all our options.




Blue

Yellow

Red

Grey

Green



SHOCK
ABSORBING



NOISE
DAMPING



VERY
DURABLE

Puzzle mats

RUBBER TILES THAT ARE EASY TO INSTALL

Aslon® Puzzle mats are suitable as sports flooring for both permanent floors and temporary floors as they are easy to install and remove. The puzzle mats fit together just like a puzzle, forming a beautiful whole.

The puzzle mat is slip-resistant, shock-absorbent and provides excellent cushioning to prevent injuries. They are also used as sound absorbing flooring, this ensures a quiet and pleasant training environment.

PUZZLE MAT - 540 x 540 MM

Standard granulate (1 - 3 mm)
& fine granulate (0.7 - 1 mm)



Specifications

Colours: black, red, green and grey
Sizes: 540 x 540 mm
Thickness: 15 mm | 20 mm
Density: 800 kg/m³ | 900 kg/m³ | 1.000 kg/m³

PUZZLE MAT - 485 x 485 MM

- Easy to install
- Easy to remove
- Shock absorbing



Specifications

Colours: black, black with EPDM and various colours and blends
Sizes: 485 x 485 mm
Thickness: 8 mm | 10 mm | 16 mm
Density: 1.000 kg/m³

PUZZLE MAT - 956 x 956 MM

- Easy to install
- Easy to remove
- Shock absorbing



Specifications


Colours: black, black with EPDM and various colours and blends
Sizes: 956 x 956 mm
Thickness: 8 mm | 10 mm | 16 mm
Density: 1.000 kg/m³



SHOCK
ABSORBING



NOISE
DAMPING



EASY
TO INSTALL

Rubber on roll

EASY TO INSTALL FLOORING WITH ONLY A FEW SEAMS

Aslon® Rubber on roll is used in gyms and provides a comfortable floor. By using rolls, there are only few seams in the floor.

Our Rubber on roll is sound-absorbing and comfortable to exercise on. Rubber on roll supports the athlete and provides a non-slip surface. Rubber on roll is regularly chosen for larger areas, as it is quicker to install than if you choose tiles or mats.

Rolls are produced in so-called cylinders and can be sheeted in various thicknesses and lengths. The minimum thickness we recommend is five millimetres.

In addition to our standard rubber on rolls, we can also provide customised solutions.



RUBBER ON ROLL WITH EPDM

- Non slip
- Only a few seams
- Easy to install



Specifications

Colours: black with 10% EPDM | 20% EPDM | 100% EPDM
Width: 1.050 mm | 1.250 mm
Thickness: 3 - 20 mm
Density: 1.000 kg/m³

RUBBER ON ROLL

- Non slip
- Only a few seams
- Easy to install



Specifications

Colours: black
Width: 1.050 mm | 1.250 mm
Thickness: 3 - 20 mm
Density: 730 kg/m³ | 930 kg/m³ | 1.000 kg/m³



SHOCK
ABSORBING



NOISE
DAMPING



FEW
SEAMS



NON
SLIP

Interested in our products?

CONTACT US!

Our experienced team will be happy to answer all your questions about our products and discuss all options with you.



sales@aslon-rubber.com



aslon-rubber.com



+31 (0) 174 283 443



[@aslonrubber](https://www.instagram.com/aslonrubber)



Kwelder 15
3151 ZH, Hoek van Holland
The Netherlands



CONTACT

✉ sales@aslon-rubber.com

☎ +31 (0) 174 283 443

📍 Kwelder 15
3151 ZH, Hoek van Holland
The Netherlands

🖱 aslon-rubber.com

📷 @aslonrubber